### SAFETY DATA SHEET

Talstar® Xtra Granular

**SDS #**: 6390-1-A

Revision date: 2016-05-26

Format: NA Version 1.02



# 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier** 

**Product Name** 

Talstar® Xtra Granular

Other means of identification

Product Code(s)

6390-1-A

**Synonyms** 

BIFENTHRIN: (2-methyl[1,1'-biphenyl]-3-yl)methyl

3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate (CAS name);

2-methylbiphenyl-3-ylmethyl

 $(Z)\hbox{-}(1RS)\hbox{-}cis-3\hbox{-}(2\hbox{-}chloro-3,3,3\hbox{-}trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxy late}$ 

(IUPAC name);

ZETA-CYPERMETHRIN:  $(+/-)-\alpha$  -cyano(3-phenoxyphenyl)methyl (+/-) cis,

trans-3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate (CAS name); (RS)- α

-cyano-3-phenoxybenzyl

(1RS)-cis-trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (IUPAC name)

F2700

Active Ingredient(s)

Bifenthrin, Zeta-cypermethrin

**Chemical Family** 

Pyrethroid Pesticide

# Recommended use of the chemical and restrictions on use

Recommended Use:

Insecticide

Restrictions on Use:

Use as recommended by the label

Manufacturer Address

FMC Corporation 2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

msdsinfo@fmc.com (E-Mail General Information)

# Emergency telephone number

Medical Emergencies:

1 800 / 331-3148 (PROSAR - U.S.A. & Canada)

1 651 / 632-6793 (PROSAR - All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call: 1 800 / 424 9300 (CHEMTREC - U.S.A.)

1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries)

# 2. HAZARDS IDENTIFICATION

Classification

**OSHA Regulatory Status** 

SDS #: 6390-1-A Revision date: 2016-05-26 Version 1.02

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

A sute toxicity Oral	Category 4
Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 2B
Serious eye damage/eye irritation	Category 1B
Skin sensitization	<u> </u>
Carcinogenicity	Category 1A

#### GHS Label elements, including precautionary statements

#### **EMERGENCY OVERVIEW**

#### Danger

#### **Hazard Statements**

H302 - Harmful if swallowed

H317 - May cause an allergic skin reaction

H320 - Causes eye irritation

H332 - Harmful if inhaled

H350 - May cause cancer



# **Precautionary Statements - Prevention**

P202 - Do not handle until all safety precautions have been read and understood

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves

P281 - Use personal protective equipment as required

#### **Precautionary Statements - Response**

P308 + P313 - If exposed or concerned: Get medical advice/attention

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/ attention

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

P330 - Rinse mouth

# Precautionary Statements - Storage

P405 - Store locked up

# Precautionary Statements - Disposal

P501 - Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

# Other Information

SDS #: 6390-1-A Revision date: 2016-05-26

Version 1.02

Very toxic to aquatic life with long lasting effects. May be harmful in contact with skin.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Chemical Family** 

Pyrethroid Pesticide.

Chemical name	CAS-No	Weight %
Bifenthrin	82657-04-3	0.2
Zeta-cypermethrin (F2700)	52315-07-8	0.05
Crystalline silica, quartz	14808-60-7	>90
Synthetic amorphous silica	112926-00-8	1-5

Synonyms are provided in Section 1.

4	IDOT	AID	BAE A	101	IDEC
		AIU		L-In	<b>JRES</b>

Eye Contact Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

control center or doctor for further treatment advice.

Skin Contact Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for further treatment advice.

Inhalation Move to fresh air. If person is not breathing, call 911 (within the U.S. and Canada) or an

ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a

poison control center or doctor for further treatment advice.

Ingestion Call a poison control center or doctor immediately for treatment advice Have person sip a

glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison

control center or doctor Do not give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

None known.

Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically. This product is a pyrethroid. If large amounts have been ingested, the stomach and intestines should be evacuated. Treatment is symptomatic and supportive. Digestible fats, oils, or alcohol may increase absorption and so should be avoided.

#### 5. FIRE-FIGHTING MEASURES

Powdered material may form explosive dust-air mixtures

Suitable Extinguishing Media Foam. Carbon dioxide (CO<sub>2</sub>). Dry chemical. Water spray or fog

Specific Hazards Arising from the

Chemical

**Explosion data** 

Sensitivity to Mechanical Impact Sensitivity to Static Discharge

precautions for firefighters

Not sensitive. Not sensitive.

Protective equipment and As in any

As in any fire, wear self-contained breathing apparatus and full protective gear. Isolate fire area. Evaluate downwind.

# 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Isolate and post spill area. Wear suitable protective clothing, gloves and eye/face

protection. For personal protection see section 8.

Other For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1

"Product and Company Identification" above.

#### Talstar® Xtra Granular

SDS #: 6390-1-A Revision date: 2016-05-26

Version 1.02

**Environmental Precautions** 

Keep people and animals away from and upwind of spill/leak. Keep material out of lakes,

streams, ponds, and sewer drains.

**Methods for Containment** 

Sweep up and shovel into suitable containers for disposal.

Methods for cleaning up

Sweep up and shovel into suitable containers for disposal. Clean and neutralize spill area, tools and equipment by washing with bleach water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal.

Dispose of waste as indicated in Section 13.

# 7. HANDLING AND STORAGE

Handling

Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

Storage

Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Keep/store only in

original container.

Incompatible products

Strong oxidizing agents, Fluorine, Chlorine trifluorine, Oxygen difluoride Strong oxidizing

agents. Fluorine. Chlorine trifluorine. Oxygen difluoride.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Crystalline silica, quartz (14808-60-7)	TWA: 0.025 mg/m <sup>3</sup>	-	IDLH: 50 mg/m <sup>3</sup> TVVA: 0.05 mg/m <sup>3</sup>	Mexico: TWA 0.1 mg/m³
Synthetic amorphous silica (112926-00-8)	-	<u>-</u>		Mexico: TWA 10 mg/m³
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Crystalline silica, quartz (14808-60-7)	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TVVA: 0.10 mg/m <sup>3</sup> respirable	TWA: 0.025 mg/m <sup>3</sup>
Synthetic amorphous silica (112926-00-8)	TWA: 4 mg/m³ TWA: 1.5 mg/m³	TWA: 6 mg/m <sup>3</sup>	-	-

# Appropriate engineering controls

**Engineering measures** 

Apply technical measures to comply with the occupational exposure limits. Ensure adequate ventilation, especially in confined areas. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

# Individual protection measures, such as personal protective equipment

**Eye/Face Protection** 

If there is a potential for exposure to particles which could cause eye discomfort, wear chemical goggles.

Skin and Body Protection

Wear long-sleeved shirt, long pants, socks, shoes, chemical-resistant gloves and headgear.

**Hand Protection** 

Protective gloves

Respiratory Protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in

accordance with current local regulations.

Hygiene measures

Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of

**SDS #**: 6390-1-A **Revision date**: 2016-05-26

Version 1.02

working. Remove and wash contaminated clothing before re-use. Launder work clothing

separately from regular household laundry.

General information

If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Appearance Granules
Physical State Solid
Color Brown

Odor Mild detergent odor
Odor threshold No information available

**pH** ~ 6.9

Melting point/freezing point Not applicable

Boiling Point/Range No information available

Flash point Not applicable

Evaporation Rate No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
No information available
Ponsity
Specific gravity
Water solubility
No data available
No information available
No information available
No information available
No information available

No information available Solubility in other solvents No information available Partition coefficient No information available Autoignition temperature No information available **Decomposition temperature** No information available Viscosity, kinematic No information available Viscosity, dynamic No information available **Explosive properties** No information available **Oxidizing properties** Molecular weight No information available No information available **Bulk density** 

# 10. STABILITY AND REACTIVITY

Reactivity Not applicable

Chemical Stability Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid Heat, flames and sparks

Incompatible materials Strong oxidizing agents, Fluorine, Chlorine trifluorine, Oxygen difluoride.

Hazardous Decomposition Products None known based on information supplied.

#### 11. TOXICOLOGICAL INFORMATION

#### **Product Information**

 LD50 Oral
 727 mg/kg (rat)

 LD50 Dermal
 > 5000 mg/kg (rabbit)

 LC50 Inhalation
 > 2.11 mg/L (rat)

Serious eye damage/eye irritation

Skin corrosion/irritation

Moderately irritating to eyes. May cause slight irritation.

SDS #: 6390-1-A Revision date: 2016-05-26

Version 1.02

Sensitization

Sensitizer

#### Information on toxicological effects

**Symptoms** 

Large, toxic doses of this product administered to laboratory animals produced signs of toxicity including tremors, loss of coordination, convulsions, staggered gait and oral

discharge.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity Mutagenicity Carcinogenicity Repeated or prolonged exposure may cause central nervous system effects.

Bifenthrin, Zeta-cypermethrin: Not genotoxic in animal studies.

Bifenthrin: Not recognized as carcinogenic by Research Agencies (IARC, NTP, OSHA, ACGIH). Did not show carcinogenic effects in animal experiments. Cypermethrin caused an

increase in benign lung tumors in mice, but not in rats.

**Neurological effects** 

Tremors were associated with chronic exposure of laboratory animals to bifenthrin, which may disappear with continued exposure. Zeta-cypermethrin did not cause neurotoxicity in

animal experiments.

Reproductive toxicity **Developmental toxicity** STOT - single exposure STOT - repeated exposure Zeta-cypermethrin: No toxicity to reproduction in animal studies. Bifenthrin, Zeta-cypermethrin: Not teratogenic in animal studies.

Not classified. Not classified.

Target organ effects

Bifenthrin: A slight increase in male mouse urinary bladder tumors at the highest dose was

probably not of toxicological concern.

**Neurological effects** 

Tremors were associated with chronic exposure of laboratory animals to bifenthrin, which may disappear with continued exposure. Zeta-cypermethrin did not cause neurotoxicity in

animal experiments

Aspiration hazard

No information available.

Chemical name	ACGIH	IARC	NTP	OSHA
Zeta-cypermethrin (F2700) 52315-07-8		Group 2A		
Crystalline silica, quartz 14808-60-7	A2	Group 1	Known	X
Synthetic amorphous silica 112926-00-8		Group 3		

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not classifiable as to its carcinogenicity to humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

3.6% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Bifenthrin (82657-04-3)				
Active Ingredient(s)	Duration	Species	Value	Units
Bifenthrin	96 h LC50	Fish	0.1	μg/L
	72 h EC50	Algae	0.822	mg/L
	48 h EC50	Crustacea	0.11	μg/L
	21 d NOEC	Fish	0.012	μg/L
	21 d NOEC	Crustacea	0.0013	μg/L

Zeta-cypermethrin (F2700) (52315-07-8)

**SDS #**: 6390-1-A **Revision date**: 2016-05-26

Version 1.02

Active Ingredient(s)	Duration	Species	Value	Units
Zeta-cypermethrin	48 h EC50	Crustacea	0.14	μg/L
	96 h LC50	Fish	0.69	μg/L
	72 h EC50	Algae	>1	mg/L
	21 d NOEC	Crustacea	0.01	μg/L
	21 d NOEC	Fish	0.015	μg/L

Persistence and degradability Bifenthrin: Moderately persistent. Does not readily hydrolyze. Not readily biodegradable.

Zeta-cypermethrin: Non-persistent. Readily hydrolyzed. Not readily biodegradable.

**Bioaccumulation**Bifenthrin: The substance has a potential for bioconcentration. Zeta-cypermethrin: The

substance does not have a potential for bioconcentration.

Mobility Bifenthrin, Zeta-cypermethrin: Immobile, Not expected to reach groundwater.

# 13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these

wastes cannot be disposed of by use according to label instructions, contact appropriate

disposal authorities for guidance.

Contaminated Packaging Containers must be disposed of in accordance with local, state and federal regulations.

Refer to the product label for container disposal instructions.

### 14. TRANSPORT INFORMATION

Not regulated for transportation if shipped in Non Bulk packaging. The classification below

pertains to the shipment in Bulk packaging.

UN/ID no UN307

Proper Shipping Name Environmentally hazardous substance, solid, n.o.s.

Hazard class 9
Packing Group III

Marine Pollutant Zeta-cypermethrin.

**Description** UN3077 Environmentally hazardous substances, solid, n.o.s.(Bifenthrin,

Zeta-cypermethrin), 9 PG III

TDG

UN/ID no UN3077

Proper Shipping Name Environmentally hazardous substance, solid, n.o.s.

Hazard class 9
Packing Group

Marine Pollutant Bifenthrin, Zeta-cypermethrin.

Description UN3077, Sustancia sólida peligrosa para el medio ambiente, n.e.p (Bifentrina,

Zeta-cipermetrina), 9, PG III

ICAO/IATA

UN/ID no UN3077

Proper Shipping Name Environmentally hazardous substance, solid, n.o.s.

Hazard class
Packing Group

Description UN3077, Sustancia sólida peligrosa para el medio ambiente, n.e.p (Bifentrina,

Zeta-cipermetrina), 9, PG III

Limited quantity 30 kg G

IMDG/IMO

UN/ID no UN3077

Proper Shipping Name Environmentally hazardous substance, solid, n.o.s.

Hazard class 9
Packing Group

SDS #: 6390-1-A Revision date: 2016-05-26

Version 1.02

EmS No.
Marine Pollutant

F-A. S-F

Bifenthrin, Zeta-cypermethrin

Description

UN3077, Sustancia sólida peligrosa para el medio ambiente, n.e.p (Bifentrina,

Zeta-cipermetrina), 9, PG III

#### 15. REGULATORY INFORMATION

# U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations. Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Bifenthrin - 82657-04-3	82657-04-3	0.2	1.0

#### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

#### Caution

Harmful if swallowed. Causes moderate eye irritation.

This pesticide is extremely toxic to fish, aquatic invertebrates, oystersand shrimp.

# **US State Regulations**

#### California Proposition 65

This product contains the following Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Bifenthrin	X		
82657-04-3			
Zeta-cypermethrin (F2700) 52315-07-8		X	

**SDS #**: 6390-1-A **Revision date**: 2016-05-26

Version 1.02

Crystalline silica, quartz 14808-60-7	X	Х	Х
Synthetic amorphous silica 112926-00-8	Х	X	Х

#### **International Inventories**

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Bifenthrin 82657-04-3				Х	Х	X		
Zeta-cypermethrin (F2700) 52315-07-8			Х		Х	X	Х	Х
Crystalline silica, quartz 14808-60-7	Х	Х	Х	Х	Х	Х	Х	Х
Synthetic amorphous silica 112926-00-8		Х		Х	Х	Х	Х	Х

#### Mexico - Grade

Moderate risk, Grade 2

Chemical name	Carcinogen Status	Mexico	
Crystalline silica, quartz		Mexico: TWA 0.1 mg/m <sup>3</sup>	
Synthetic amorphous silica		Mexico: TWA 10 mg/m <sup>3</sup>	

Chemical name	Mexico - Pollutant Release and Transfer Register - Reporting Emissions for Fabrication, Process or Use -Threshold Quantities	Pollutant Release and Transfer Register - Reporting Emissions - Threshold Quantities
Bifenthrin	100 2500 kg/yr	100 kg/yr

#### **WHMIS Hazard Class**

D2A - Very toxic materials D2B - Toxic materials



# 16. OTHER INFORMATION

NFPA	Health Hazards 1	Flammability 1	Instability 0	Special Hazards -
HMIS	Health Hazards 2*	Flammability 1	Physical hazard 0	Personal Protection X

Revision date:

2016-05-26

Reason for revision:

Format Change

#### **Disclaimer**

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

# Talstar® Xtra Granular

SDS #: 6390-1-A Revision date: 2016-05-26 Version 1.02

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2016 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet