KILLS HOUSE MICE

EACH BLOCK KILLS UP TO 12 MICE*

DISPOSABLE BAIT STATIONS CAN BE USED **HORIZONTALLY OR VERTICALLY**

T1 MOUSE

Bell



T1 MOUSE

SEE-THROUGH LID FOR EASY BAIT MONITORING











T1 MOUSE

NET WT: 4 OZ (112g) 1 oz x 4 Bait Stations This Bait Station is Resistant to Weather and to Tampering by Children and Dogs. For Use Indoors and Outdoors.

KEEP OUT OF REACH OF CHILDREN **CAUTION**

See back panel for First Aid, additional Precautionary Statements, and Directions for Use.

ACTIVE INGREDIENT:
Bromethalin (CAS #63333-35-7): 0.01%

* Based on no-choice laboratory testing



STORAGE AND DISPOSAL







FOR REGISTRATION ACCEPTED

November 13, 2019

New York State Department

Division of Materials Management of Environmental Conservation

Pesticide Product Registration

DOC ID 565190

KILLS HOUSE MICE

51PT-5

T1 MOUSE

EACH BLOCK KILLS UP TO 12 MICE*

LABORATORIES, INC.

SEE-THROUGH LID

FOR EASY BAIT

MONITORING







PBAIT STATIONS

HORIZONTALLY CAN BE USED

T1 MOUSE

OR VERTICALLY

DISPOSABLE



DISPOSABLE



HORIZONTAL

VERTICAL

TARORATORIA

1 oz x 4 Bait Stations 4.0Z (112g)

This Bait Station is Resistant to Weather and to Tampering by Children and Dogs. For Use Indoors and Outdoors.

KEEP OUT OF REACH OF CHILDREN CAUTION

Precautionary Statements, and Directions for Use. See back panel for First Aid, additional

. 99.99% ACTIVE INGREDIENT: Bromethalin (CAS #63333-35-7): OTHER INGREDIENTST: †Contains Denatonium Benzoate

* Based on no-choice laboratory testing





MOUSE

FIRST AID

HAVE LABEL WHEN OBTAINING TREATMENT ADVICE

· Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.

Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control

If on Skin:

· Wash with plenty of soap and water.

TREATMENT FOR PET POISONING

al eats this bait, call a veterinarian, or 1-877-854-2494 at onc

NOTE TO PHYSICIAN OR VETERINARIAN

Contains the nerve poison bromethalin. This product is not an anticoagulant type rodenticide. For humans or animals ingesting balt and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Bait contents harmful if swallowed, Keep away from children, domestic of this product must wear gloves.

USER SAFETY REQUIREMENTS: As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish, birds and other wildlife. Dogs, cats and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bail. Do not apply directly to water.

EPA REG. NO. 12455-121 EPA EST. NOs. 12455-WI-1k 12455-WI-2P, 12455-WI-3W Superscript is first letter of the lot number.

1

1





DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **READ THIS LABEL:** Read this entire label and follow all use directions and use

USE RESTRICTIONS:

This balt station may be used in areas accessible to children and pets, consistent with all use restrictions and other requirements indicated on this label. Do not apply further than 50 feet from home or building.

For control only of house mice. T1 Mouse™ must be used in and around buildings consistent with all use restrictions and other requirements indicated on this label. Do not place this bait station in any area where there is a possibility of contaminating food or surfaces that come into direct contact with food.

SELECTION OF TREATMENT AREAS: Determine greas where house mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in corners and concealed places.

APPLICATION DIRECTIONS:

Place the bait station at point of highest activity beside burrows, along a wall, or in corners Place the batt station at point of highest activity deside burrows, along a wall, or in corners where signs of house mice have been seen. If additional units are to be used, place balt station at 8-10 12-loot intervals. Maintain an uninterrupted supply of fresh balt for at least 15 days or until there no longer are fresh signs of house mouse activity in infested areas. To monitor for replacement, view bait via see-through lid. While wearing gloves, remove balt station if the batter has been consumed or contaminated. Replace balt station with a new one if house mouse activity continues at that location. Note: Mice will eat a small amount of balt and cases feeding after consuming a toxic dose. They then leave the station. You likely will not

Follow-up: Wearing gloves, collect and properly dispose of any leftover bait or carcasses. To discourage reinfestation, eliminate food, water and harborage as much as possible. If

STORAGE AND DISPOSAL

not contaminate water, food or feed by storage or disposa

Pesticide Storage: Store only in original container in a cool, dry place inaccessible

Pesticide Disposal and Container Handling: Nonrefillable Container, Do not reuse or refill container except as described in the Directions For Use.

If Empty: Place in trash or offer for recycling if available.

If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling

1

102119/07-19

1

1



Pateul Pending

This Balt Station is Resistant to Weather and to Tamporing by Children and Logs. For Use Indoors and Outdoors.

ACTIVE INGREDIENT: Brownshafe (2-8 5532-5-7). 0.0075.

OTHER INGREDIENTS: 10.545-5-14.

FEA NEED, 10.7255-7-14.

FEA NEED, 10.7255-7-15.

FEA N