

April 27, 2018

Classified for


New York State Department  
of Environmental Conservation  
Division of Materials Management  
Pesticide Product Registration



“RESTRICTED USE”  
in New York State  
under 6NYCRR Part 326

# Pyrocide 300®

PULL HERE TO OPEN / PRESS TO RESEAL



0 848920 000355

## ACTIVE INGREDIENTS:

Pyrethrins	3.00%
*Piperonyl butoxide	6.00%
**N-Octyl bicycloheptene dicarboximide	9.57%

\*\*\*OTHER INGREDIENTS

(butylcarbityl) (6-propylpiperonyl) ether and related compounds	81.43%
**MGK® 264, Insecticide Synergist	100.00%

\*\*\*Contains petroleum distillates

## KEEP OUT OF REACH OF CHILDREN CAUTION

See inside booklet for Precautionary Statements, Directions for Use  
and Storage and Disposal.

## FIRST AID

**IF SWALLOWED:** Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or a doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **NOTE TO PHYSICIAN:** Contains petroleum distillates – vomiting may cause aspiration pneumonia. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-888-740-8712.

Manufactured for: **MGK**, 8810 Tenth Avenue North, Minneapolis, MN 55427

EPA Reg. No. 1021-1177  
F5628-100  
Rev. 0616-1017

EPA Est. No. 1021-MN-2<sup>a</sup>, 70815-GA-1<sup>c</sup>, 58996-MO-1<sup>d</sup>, 39578-TX-1<sup>e</sup>,  
228-IL-002<sup>g</sup>, 10508-OH-001<sup>h</sup>, 63416-WI-001<sup>m</sup>, 5905-GA-01<sup>o</sup>  
Superscript is the first character of the lot number.

**NET CONTENTS: 1 GALLON**

PF-9421-14

## FIRST AID

<b>IF SWALLOWED:</b>	<ul style="list-style-type: none"><li>• Immediately call a poison control center or doctor.</li><li>• Do not induce vomiting unless told to do so by a poison control center or a doctor.</li><li>• Do not give <b>any</b> liquid to the person.</li><li>• Do not give anything by mouth to an unconscious person.</li></ul>
<b>IF ON SKIN OR CLOTHING:</b>	<ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>

**NOTE TO PHYSICIAN:** Contains petroleum distillates – vomiting may cause aspiration pneumonia.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-888-740-8712.

### **PRECAUTIONARY STATEMENTS** **HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

## CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

### **PERSONAL PROTECTIVE EQUIPMENT (PPE)**

Mixers, loaders, applicators, and other handlers must wear the following:

- Long-sleeved shirt,
- Long pants
- Shoes and socks, and
- Chemical-resistant gloves made of barrier laminate, nitrile rubber, neoprene rubber or Viton.

In addition to the above PPE, applicators using a high-pressure hand wand in an enclosed area must wear at least a NIOSH-approved respirator with:

- A dust/mist filter with MSHA/NIOSH approval number prefix TC-21C, or
- Any N, R, P, or HE filter.

In addition to the above PPE, applicators using handheld foggers in an enclosed area must wear a half-face, full-face, or hood-style NIOSH-approved respirator with:

- a dust/mist filter cartridge (MSHA/NIOSH approval number prefix TC-21C), or
- a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or
- a cartridge or canister with any R, P or HE filter.

### **USER SAFETY REQUIREMENTS**

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

### **USER SAFETY RECOMMENDATIONS**

User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

User should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

### **ENVIRONMENTAL HAZARDS**

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

### **PHYSICAL OR CHEMICAL HAZARDS**

**COMBUSTIBLE.** Do not use or store near heat or open flame.

### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### **GENERAL PRECAUTIONS AND RESTRICTIONS**

- FOR INDOOR USE ONLY.
- Do not enter or allow others to enter until sprays have dried.
- Not for use in outdoor residential misting systems.
- Do not allow adults, children, or pets to enter the treated area for at least 15 minutes, until vapors, mists, and aerosols have dispersed, and the treated area has been thoroughly ventilated.
- Do not apply this product in a way that will contact workers or other persons, either directly or through drift.
- Only protected handlers may be in the area during application.
- Remove or cover exposed food and drinking water before application.
- Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use.
- Direct application to food contact surfaces is prohibited.
- Do not use in aircraft cabins.
- Do not apply more than 1 time per day.
- Do not remain in treated area. Exit area immediately and remain outside the treated area until aerosols, vapors and mists have dispersed.
- Avoid contamination of food or feedstuffs.
- Remove pets and birds and cover fish aquariums before spraying.
- When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.
- Do not make space spray applications when facility is in operation.
- Prior to space spray applications, cover or remove food.
- Prior to space spray applications, cover food processing surfaces or clean after treatment and before use.

### **READ ALL DIRECTIONS COMPLETELY BEFORE USE.**

In Hospitals: Patients should be removed from room prior to treatment. Rooms should be ventilated for two hours after spraying. Do not return patients to room until after ventilation.

**GENERAL:** This concentrate is designed for use undiluted in mechanical sprayers that gives particles of aerosol size. It can be diluted with refined kerosenes, which meet Food Additive Regulation as defined by CFR Title 21, 172.884, and applied in fogging equipment that give larger than aerosol particle size. It can also be diluted with the oil specified above and applied as a contact spray to kill crawling insects listed later on this label.

**INDOOR AREAS for use in and around:**

Animal Areas and Quarters  
Animal Shelters  
Animal Control Centers  
Apartments  
Arcades  
Attics  
Auditoriums  
Bakeries  
Beverage Plants  
Bars  
Basements  
Bathrooms  
Boats  
Bottling Plants  
Breweries  
Brewery Warehouses  
Buildings  
Buses  
Cabins  
Cabinets  
Cafeterias  
Campers  
Canneries  
Churches  
City Missions  
Circus Tents  
Closets  
Clubhouses  
Commercial Buildings  
Communication Centers  
Condominiums  
Concession Stands  
Court Houses  
Crawl Spaces  
Crematoriums  
Day Care Centers  
Delicatessens  
Department Stores  
Diners  
Dog Houses  
Drugstores  
Dumpsters  
Dwellings  
Egg Processing Plants  
Factories  
False Ceilings  
Freight Containers  
Fruit Packing Sheds

Funeral Parlors  
Garages  
Garbage Bins  
Garbage Cans  
Garbage Compactors  
Garbage Trucks  
Gas Stations  
Grain Elevators  
Grain Harvesting and Handling Equipment  
Grain Mills  
Granaries  
Grocery Stores  
Homes  
Horse Stables and Barns  
Horse Trailers  
Hospices  
Hospitals  
Hotels  
Indoor Eating Establishments  
Industrial Installations  
Institutional Dining Areas  
Institutions  
Jails  
Kennels  
Laboratories  
Laundromats  
Lavatories  
Libraries  
Liquor Stores  
Locker Rooms  
Mausoleums  
Meat Packing Plants  
Mess Halls  
Mini-Storages  
Mobile Canteens  
Mobile Homes  
Morgues  
Mortuaries  
Motels  
Movie Theaters  
Museums  
Nursing Homes  
Office Buildings  
Other Public Buildings  
Parking Garages  
Pool Halls  
Prisons  
Public Storage  
Railroad Cars

Recreational Vehicles  
Research Animal Quarters  
Restaurants  
Retail Stores  
Rice Mills  
Schools  
Ships  
Ship Holds  
Smoke Shops  
Sports Stadiums  
Stables  
Storage Bins (areas)  
Stored Food in multi-walled paper or cloth bags  
Stores  
Supermarkets  
Taverns  
Textile Mills and Warehouses  
Theaters  
Tobacco Factories  
Tobacco Warehouses  
Tool Sheds  
Trains  
Transportation Equipment  
Trucks  
Truck Trailers  
Tunnels  
Utilities  
Utility Rooms  
Vending Machines  
Veterinary Hospitals  
Wall and Equipment Voids  
Warehouses  
Washrooms  
Wholesale Stores  
Wine Cellars  
Wineries  
Zoos

**TO KILL THE FOLLOWING INSECTS including:**

Almond Moths	Face Flies	Mosquitoes
Angoumois Grain Moths	Firebrats	Palmetto Bugs
Ants	Flat Grain Beetles	Pillbugs
Black Flies	Fleas	Red Flour Beetles
Boxelder Bugs	Flies	Rice Flour Beetles
Brown Dog Ticks	Flying Moths	Rice Weevils
Cadelles	Fruit Flies	Rusty Grain Beetles
Carpet Beetles	Fungus Gnats	Sawtoothed Grain Beetles
Cereal Beetles	Gnats	Silverfish
Cheese Mites	Grain Mites	Skipper Flies
Cheese Skippers	Granary Weevils	Small Flying Moths
Chocolate Moths	Hide Beetles	Spiders
Cigarette Beetles	Horn Flies	Spider Beetles
Clothes Moths	Hornets	Stable Flies
Clover Mites	Horseflies	Sowbugs
Cockroaches	Indian Meal Moths	Ticks
Coffee Bean Weevils	Indian Mealworms	Ticks that may carry and transmit Lyme disease
Confused Flour Beetles	Khapra Beetles	Tobacco Moths
Crickets	Lesser Grain Beetles	Warehouse Beetles
Dark Mealworms	Lesser Grain Borers	Wasps
Darkling Beetles	Lesser House Flies	Waterbugs
Deer Flies	Mediterranean Flour Moths	Yellowjackets
Dermestid Beetles	Merchant Grain Beetles	Yellow Mealworms
Driedfruit Beetles	Midges	
Drugstore Beetles	Miller Moths	
Earwigs	Millipedes	

**INDOOR USE – UNDILUTED**

**ULV AND SPACE SPRAY:** Use in aerosol generators to kill exposed accessible stages of: Flies (including Fruit Flies), Mosquitoes, Small Flying Moths, Fleas, Gnats, Wasps, Hornets, Clover Mites, Cheese Mites, Cheese Skippers, Boxelder Bugs, Earwigs, Ants, and the following common Stored Product Pests: Granary Weevils, Rice Weevils, Confused Flour Beetles, Sawtoothed Grain Beetles, Spider Beetles, Cigarette Beetles, Drugstore Beetles, Angoumois Grain Moths, Mediterranean Flour Moths, Indian Meal Moths, Tobacco Moths, Yellow Mealworms, Dark Mealworms, Grain Mites, Cadelles, and Red Flour Beetles: Remove or cover exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Apply at the rate of 1 fl. oz. undiluted concentrate per 1,000 cu. ft. of space. Direct spray towards ceiling and upper corners of room. Leave room closed for 1/2 hour and ventilate thoroughly before re-entry. Do not apply this undiluted spray in residential areas or facilities operating under Federal Meat, Poultry, Shell Egg Grading, and Egg Products Inspection Programs.

**CONTACT AND SPACE SPRAY:** To kill Cockroaches, Silverfish, Earwigs, Ants and Spiders, use a mechanical aerosol generator or a fogger. Using no more than 2 fl. oz. per 1,000 sq. ft., direct the spray first into all cracks and crevices, behind all equipment, cupboards, obstructions or dark harborage areas, walls, floors, underneath sinks, behind pipes, and in all places that harbor insects to provide maximum penetration and impingement on the insects. Contact as many insects as possible. Do not allow spray to contact stored food. Then treat as a space spray. Apply at the rate of 1 fl. oz. per 1,000 cu. ft. of space. Vacate treated area and leave the room closed for 1/2 hour. Ventilate thoroughly before re-entry. Do not apply this undiluted spray in residential areas or facilities operating under Federal Meat, Poultry, Shell Egg Grading, and Egg Products Inspection Programs.

**NOTE:** If there is a need to treat areas such as conduits, motor housings, junction and switch boxes, or other electrical equipment, turn off electrical equipment prior to application. After application, allow time for oil to dissipate before starting motors or placing switches in the "ON" position.

**TREATMENT OF STORED FOOD AREAS:** Foods in multi-walled bags, cloth bags, or other packaging stored in such areas as listed areas to kill accessible adult stages of Almond Moths, Angoumois Grain Moths, Ants, Cadelles, Cereal Beetles, Cheese Mites, Cheese Skippers, Chocolate Moths, Cigarette Beetles, Cockroaches, Confused Flour Beetles, Crickets, Dark Mealworms, Drugstore Beetles, Earwigs, Firebrats, Flies, Fruit Flies, Fungus Gnats, Grain Mites, Granary Weevils, Hide Beetles, Indian Meal Moths, Mediterranean Flour Moths, Mosquitoes, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Silverfish, Small Flying Moths, Spiders, Spider Beetles, Yellow Mealworms, Driedfruit Beetles, Warehouse Beetles, Rusty Grain Beetles, Lesser Grain Beetles, Coffee Bean Weevils, Khapra Beetles, and other listed pests. Infested stored products should be destroyed, fumigated, or treated by other effective methods using an approved product intended for this purpose. As noted above, using no more than 2 fl. oz. per 1,000 sq. ft., disperse first by directing spray into cracks and crevices, corners, pallets, and around stacks of packaged goods, hitting as many insects as possible, and then apply as a space spray at a dosage of 1/2 fl. oz. per 1,000 cu. ft. of room space. Do not remain in treated area and ventilate before re-entry.

**ON PEANUTS, NUTS, BEANS (INCLUDING COCOA), SEEDS, AND COPRA IN BAGS OR OTHER PACKAGING:** To kill accessible stages of Almond Moths, Angoumois Grain Moths, Ants, Cadelles, Cereal Beetles, Cheese Mites, Cheese Skippers, Chocolate Moths, Cigarette Beetles, Cockroaches, Confused Flour Beetles, Crickets, Dark Mealworms, Drugstore Beetles, Earwigs, Firebrats, Flies, Fruit Flies, Fungus Gnats, Grain Mites, Granary Weevils, Hide Beetles, Indian Meal Moths, Mediterranean Flour Moths, Mosquitoes, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Silverfish, Small Flying Moths, Spiders, Spider Beetles, Yellow Mealworms, Driedfruit Beetles, Warehouse Beetles, Rusty Grain Beetles, Lesser Grain Beetles, Coffee Bean Weevils, Khapra Beetles and other listed insects, using no more than 2 fl. oz. per 1,000 sq. ft., apply to the surface of stored or bagged products. Also spray walls, floors, other surfaces, and storage and handling areas thoroughly, being especially careful to treat cracks, crevices and similar hiding places. Then apply as a space spray at the rate of 1/2 fl. oz. per 1,000 cu. ft. of space by directing the spray toward the ceiling and upper corners of the area and behind any obstructions.

**Contact and Space Spray – Undiluted Spot Spray – To Kill Cockroaches:** Using no more than 10 fl. oz. per 1,000 sq. ft. in an appropriate ULV spraying device, inject the aerosol spray directly into cracks and crevices to completely fill wall, equipment, and other small structural void areas. Leave room ventilation or air conditioning equipment on during application.

#### **INDOOR USE – DILUTED**

**SPACE SPRAY:** For use in mechanical fogging and thermal fogging or spraying equipment to kill accessible stages of Almond Moths, Angoumois Grain Moths, Ants, Cadelles, Cereal Beetles, Cheese Mites, Cheese Skippers, Chocolate Moths, Cigarette Beetles, Cockroaches, Confused Flour Beetles, Crickets, Dark Mealworms, Drugstore Beetles, Earwigs, Firebrats, Flies, Fruit Flies, Fungus Gnats, Grain Mites, Granary Weevils, Hide Beetles, Indian Meal Moths, Mediterranean Flour Moths, Mosquitoes, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Silverfish, Small Flying Moths, Spiders, Spider Beetles, Yellow Mealworms, Driedfruit Beetles, Warehouse Beetles, Rusty Grain Beetles, Lesser Grain Beetles, Coffee Bean Weevils, and Khapra Beetles. Remove or cover exposed food and cover food handling surfaces in edible product areas of food handling establishments. Close room and shut off all air conditioning or ventilating equipment. Dilute concentrate with a white mineral oil conforming to Regulation 21 CFR 121.2589(b) or an odorless light petroleum hydrocarbon conforming to 121.1182 at the rate of 1 part concentrate to 2 parts oil and mix well. Apply at the rate of 1 fl. oz. of concentrate per 1,000 cu. ft. of space, filling the room with mist. Vacate treated area and ventilate before re-entry.

**SURFACE SPRAY:** To kill accessible stages of Ants, Drugstore Beetles, Earwigs, Cockroaches, Silverfish, Beetles, Boxelder Bugs, Clover Mites, Crickets, and other listed insects, dilute 2 fl. oz. of concentrate into 1 gallon of suitable diluent for maintenance, mix well, and apply as a coarse wetting spray using 1 gallon of spray mixture per 1,000 sq. ft. of surface. To ensure maximum control of listed crawling insects, spray thoroughly into all cracks, molding, crevices, walls, floors, other surfaces, and storage and handling areas. Particular attention should be paid to areas where moisture collects such as drains, sinks, and water pipes, and around the base of heavy machinery and equipment, contacting as many insects as possible. ANTS: Spray directly into nests, along trails, and directly on all ants observed. Repeat as necessary.

**FOR USE IN TRANSIT PROTECTION:** To kill accessible stages of listed insects, clean and spray truck beds, boxcars, ship's holds and other listed transit equipment before loading. Dilute 2 fl. oz. of concentrate into 1 gallon of suitable diluent. Thoroughly treat walls and floors. Spray each layer of cartons or containers lightly as stacked. Apply diluted spray at the rate of 1 gallon per 1,000 sq. ft.. To kill **INDIAN MEALWORMS** and **ANGOUMOIS GRAIN MOTHS** in stored grain, apply to the surface of binned grain at a rate of 1 gallon per 1,000 sq. ft.. Apply at monthly intervals with the first appearance of moths and continuing until early fall. In case of severe infestation, break up webbing before spraying and make a second application in two weeks.

**Contact Spray – Diluted for use with sprayers that give large, wetting spray particles to kill Cockroaches and Accessible Stages of Granary Insects: Cadelles, Confused Flour Beetles, Grain Mites, Granary Weevils, Meal Moth Larvae and Adults, Red Flour Beetles, Rice Weevils and Sawtoothed Grain Beetles:** Cover or remove exposed food and close room as described above. Dilute concentrate with oil at the rate of 1 part concentrate plus 63 parts of oil or 2 fl. oz. per gallon and mix well. Spray outside walls of grain bins, flooring, about base of milling machinery, walls and baseboards, areas behind cabinets, and around pipes and other insect harborages using 1 gallon spray per 1,000 sq. ft. of space. Force spray into all cracks and crevices.

**DRIED FRUIT PRODUCTS in storage or being processed, to kill CONFUSED FLOUR BEETLES, DRIEDFRUIT BEETLES, INDIAN MEAL MOTHS AND SAWTOOTHED GRAIN BEETLES:** Remove and destroy infested products. Dilute concentrate with oil at the rate of 1 part concentrate plus 29 parts oil or 4.5 fl. oz. per gallon and mix well. Disperse 13 fl. oz. of this diluted product as a fine mist in the air above the trays and shelves. Do not apply to fruit directly. Use 1/2 fl. oz. of concentrate per 1,000 cu. ft. of space. Repeat application at this dosage in any given month. Leave the room closed for one hour. Do not remain in treated areas and ventilate the area before re-entry. Sweep up and destroy fallen insects.

**STORED FOOD: (Stored in multi-walled bags or cloth bags) in flour mills, grain elevators, granaries, storage rooms, and warehouses to kill ANGOUMOIS GRAIN MOTHS, CADELLES, CHEESE MITES, CHEESE SKIPPERS, CIGARETTE BEETLES, CONFUSED FLOUR BEETLES, DARK MEALWORMS, GRAIN MITES, GRANARY WEEVILS, INDIAN MEAL MOTHS, MEDITERRANEAN FLOUR MOTHS, RED FLOUR BEETLES, RICE WEEVILS, SAWTOOTHED GRAIN BEETLES, AND YELLOW MEALWORMS:** Remove and destroy infested products. Dilute concentrate with oil at the rate of 1 part concentrate plus 29 parts oil or 4.5 fl. oz. per gallon and mix well. Disperse this product first by directing no more than 60 fl. oz. of diluted spray per 1,000 sq. ft. into corners, under pallets and around stacks of packaged foods, hitting as many insects as possible and then treat as a space spray. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose. Then treat as a space spray using 6 fl. oz. of the diluted product. Use a dosage of 2/10 of a fl. oz. of concentrate per 1,000 cu. ft. of space. Do not remain in treated areas and ventilate area before re-entry. This application will kill accessible, exposed stages of those stored product pests listed above. Sweep up and destroy fallen insects.

**Indoor Premises of Zoos:** As a space spray diluted for use in conventional mechanical fogging equipment to kill FLIES, GNATS, MOSQUITOES AND SMALL FLYING MOTHS: dilute 1 part concentrate plus 29 parts oil (refined kerosene) and mix well. Apply no more than 30 fl. oz. of diluted product per 1,000 cu. ft. of space above the animals. Direct spray towards the upper portions of the enclosure, filling the room with mist. Keep area closed for at least 15 minutes. Vacate treated area and ventilate before reoccupying. Repeat treatment when reinfestation occurs.

**FOR USE IN FEDERALLY INSPECTED MEAT AND POULTRY PLANTS:** Dilute 1 part concentrate with 3 parts base oil (refined kerosene) and use with a ULV spraying device at the application rate of 3 fl. oz. of diluted product per 1,000 cu. ft. of room space. Apply no more than 6 fl. oz. of the diluted spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes, and in all places where these insects shelter. Contact as many insects as possible. Repeat as necessary to kill exposed or accessible stages of **ANTS, EARWIGS, FLIES, FRUIT FLIES, GNATS, MOSQUITOES, SILVERFISH, SMALL FLYING MOTHS, SPIDERS AND WATERBUGS.** Before spraying, exposed food products and packaging materials must be covered or removed. After spraying, equipment and utensils must be washed with an effective cleaning compound and rinsed with potable water prior to use. Use as a space spray only when plant is not in operation.

**NOTE:** When using oil as the diluent, an odorless light petroleum hydrocarbon as defined by CFR Title 21, 172.884 should be used for all food area and food related applications. Additionally, when diluted and used according to label directions, this spray will meet specifications for use under Federal meat, poultry, shell egg grading, and egg products inspection programs.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in a cool, dry area. Always store pesticides in the original container. Store away from food and pet food.

**PESTICIDE DISPOSAL:** To avoid wastes, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

**CONTAINER HANDLING:** Non-refillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container  $\frac{1}{4}$  full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

PYROCIDE®, MGK® are registered trademarks of McLaughlin Gormley King Company





# Pyrocide 300<sup>®</sup>

**ACTIVE INGREDIENTS:**

Pyrethrins .....	3.00%
*Piperonyl butoxide .....	6.00%
**N-Octyl bicycloheptene dicarboximide .....	9.57%
*** <b>OTHER INGREDIENTS</b> .....	81.43%
	100.00%

\*(butylcarbityl) (6-propylpiperonyl) ether and related compounds.

\*\*MGK<sup>®</sup> 264, Insecticide Synergist

\*\*\*Contains petroleum distillates

**KEEP OUT OF REACH OF  
CHILDREN  
CAUTION**

**See inside booklet for First Aid,  
Precautionary Statements, Directions  
for Use and Storage and Disposal**

Manufactured for: **MGK**, 8810 Tenth Avenue North, Minneapolis, MN 55427

EPA Reg. No. 1021-1177  
F5628-100  
Rev. 0616-1017

EPA Est. No. 1021-MN-2<sup>A</sup>, 70815-GA-1<sup>C</sup>, 58996-MO-1<sup>D</sup>, 39578-TX-1<sup>E</sup>,  
228-IL-002<sup>S</sup>, 10508-OH-001<sup>S</sup>, 63416-WI-001<sup>M</sup>, 5905-GA-01<sup>D</sup>  
Superscript is the first character of the lot number.



**NET CONTENTS: 1 GALLON**